

PROJECT-NUMMER 0472
MOS-NUMMER 0601-0001

WISSELSTROOMGENERATOR

DATUM 850813
BLADNR 2

FIG NR	NSN	FCN	FABRIEKSARTIKELNUMMER	ARTIKELOMSCHRIJVING	AANT GEMONT	ECH	OPMERKINGEN
21	5310-12-162-2131	A0026 D8015	14.71.24.60 2 916 693 007	BORGRING	1	2	
23	5310-12-146-3860	A0026 D8286	95.10.01.28 B6,4DIN9021-ST-A3P	ONDERLEGRING,VLAK	4	2	
24	5310-12-154-2147	A0026 D8286	92.63.01.05 MSDIN985-8-A2P	MOER,ZELFBORGEND,ZE	2	2	
25	5305-12-153-5721	A0026 D8286	98.05.42.14 MSX16DIN933-8.8-A2P	SCHROEF,ZESKANTE KO	2	2	
26	6110-12-301-8198	A0026 D8015	29.70.38.00 0.192.062.002	REGELAAR,VERBRANDIN	1	2	
27	5310-17-003-7983	A0026 D8286	95.10.00.59 BSDIN127GEZWART	ONDERLEGRING,BORG-	4	2	
28	5977-12-195-8270	A0026 D8015	17.71.24.53 1.127 014 012	CONTACTBORSTELSTEL	1	2	
29	5360-12-189-3426	A0026 D8015	14.71.24.54 1.124.652.000	VEER,TORSIE,SPIRAAL	1	2	

PROJECT-NUMMER 0472
MOS-NUMMER 0603-0001

STARTMOTOR

DATUM 850813
BLADNR 1

FIG NR	NSN	FCN	FABRIEKSARTIKELNUMMER	ARTIKELOMSCHRIJVING	AANT GEMONT	ECH	OPMERKINGEN
1	2920-12-195-7701	A0026 D8015	14.73.07.06 0 001 157 016	AANZETMOTOR, ELEKTRI	1	2	
28	5310-12-144-6214	A0026 D8286	92.60.22.08 M8DIN934-A2P	MOER, ZESKANT	1	2	
29	5310-12-125-0066	A0026 D8286	61.27.03.00 B8DIN137	ONDERLEGRING, VEER-	2	2	
30	5305-12-156-4898	A0026 D8286	98.05.24.35 M8X35DIN931-8.8-A2P	SCHROEF, ZESKANTE KO	2	2	
31	2920-15-063-7338	A0026 A0188	19.73.33.50 40.34.01.300	BESCHERMKAP	1	2	

PROJECT-NUMMER 0472
MOS-NUMMER 0605-0001

ONTSTEKING

DATUM 850813
BLADNR 1

FIG NR	NSN	FCN	FABRIEKSARTIKELNUMMER	ARTIKELOMSCHRIJVING	AANT GEMONT	ECH	OPMERKINGEN
1	5305-12-142-8430	A0026 D8286	98.62.02.40 MSX40DIN931-8.8-A2P	SCHROEF, ZESKANTE KO 0	4	2	
2	5325-15-063-7252	A0026 D8015	14.71.76.00 1.230.522.016	TULE, RUBBER	2	2	
3	2920-15-063-7385	A0026 D8015	14.71.74.00 0.356.351.010	ONDERDRUKKER, ONTSTEK	2	2	
4	2920-14-362-9725	A0026 F1187	19.71.70.00 N6Y	BOUGIE, VONK-	2	2	
6	5365-17-906-1500	A0026	91.18.07.21	AFSTANDSTUK, BUS	4	2	
7	2920-17-906-1498	A0026 D8015	19.71.65.00 029.700.43.80	SPOEL, ONTSTEKING	2	2	
14	5310-12-146-3860	A0026 D8286	95.10.01.26 B6,4DIN9021-ST-A3P	ONDERLEGRING, VLAK	1	2	
20	5305-12-141-3933	A0026 D8286	98.30.50.16 MSX16DIN84-5.8-A2P	SCHROEF, MACHINE	1	2	

15-103-4502

ontsteking afbouw
nrcv wcd

PROJECT-NUMMER 0472
MOS-NUMMER 0608-0001

INSTR. EN SCHAK. N. OP INSTRP

DATUM 850813
BLADNR 1

FIG NR	NSN	FCN	FABRIEKSARTIKELNUMMER	ARTIKELOMSCHRIJVING	AANT GEMONT	ECH	OPMERKINGEN
1	5340-17-906-1454	A0026	19.75.04.35	HOEKSTEUN	1	2	
2	5945-00-983-4374	A0026 94988	17.75.05.20 552-12V	KNIPPERLICHTAUTOMAA	1	2	
3	2520-17-906-1453	A0026	17.75.12.00	SOSTEND ANTIVIBRANT	1	2	
4	5920-17-906-1456	A0026	23.74.30.00	SMELTVEILIGHEIDSKAS	1	2	
8	5920-17-906-1458	A0026	23.74.63.00	PIASTRA PORTA SECON	1	2	
10	5310-12-154-2147	A0026 D8286	92.63.01.05 DIN985-M5-8-A2P	MOER, ZELFBORGEND, ZE	2	2	
11	5305-12-165-9757	A0026 D8286	98.20.25.25 M5X30DIN912-10-9B2A	SCHROEF, INWENDIGE A	4	2	
12	5920-17-906-1455	A0026	17.74.25.50	SMELTVEILIGHEID, NIE 16A	8	2	
13	5920-17-906-1459	A0026	23.74.30.01	SMELTVEILIGHEIDSKAS	1	2	
15	5945-12-195-4927	A0026 D8015	19.73.25.00 0 332 014 150	RELAIS, ELEKTROMAGNE	2	2	
16	5930-17-906-1457	A0026	39.73.80.80	SWITCH	1	2	
17	5305-12-141-9824	A0026 D8286	98.05.42.12 M5X12DIN933-8.8-A2P	SCHROEF, ZESKANTE KO ANDRYVING	2	2	
18	5310-12-167-3063	A0026 D8286	95.10.00.59 B5,3DIN9021-ST-A3P	ONDERLEGRING, VLAK	1	2	
19	5310-12-124-0196	A0026 D8286	95.12.91.00 A5DIN137-A3P	ONDERLEGRING, VEER-	2	2	
20	5310-12-156-4990	A0026 D8286	92.60.22.05 M5DIN934-8-A2P	MOER, ZESKANT	2	2	
21	6350-17-907-4861	A0026	19.78.72.67	ZOEMER	1	2	

PROJECT-NUMMER 0472
MOS-NUMMER 0609-0001

KOPLICHT EN RICHTINGAANW(VOOR)

DATUM 850813
BLADNR 1

FIG NR	NSN	FCN	FABRIEKSARTIKELNUMMER	ARTIKELOMSCHRIJVING	AANT GEMONT	ECH	OPMERKINGEN
1	6220-17-906-2280	A0026	23.74.05.00	KOPLICHTARMATUUR, VO KPL	1	2	
2	6220-15-064-7711	A0026	19.74.04.55	LICHTREFLECTOR	1	2	
3	5340-12-132-2158	A0026	19.74.03.01	VEERKLEM, BORG-	2	2	
4	6240-12-129-3450	A0026 H0002	93.45.01.19 12929	LAMP, GLOEI- 4W-12V	1	2	
5	6240-12-129-6155	A0026 D2299	93.45.02.31 12620	LAMP, GLOEI- 40/45W-12V	1	2	
6	5325-17-906-2292	A0026	19.74.03.09	TULE, RUBBER	1	2	
7		A0026	19.74.04.60	LAMPVOET KPL.	1	2	
8	5305-12-181-4657	A0026 D8286	98.82.25.20 M10X20DIN6912-8.8-A2P	SCHROEF, INWENDIGE A	2	2	
9	5310-12-124-0893	A0026 D8286	95.02.01.11 A10, 5DIN6798	ONDERLEGRING, BORG-	2	2	
10	5305-12-142-5688	D8286	B2, 9X9, 5DIN7971-A3P	SCHROEF, ZELFSCHROEF	2	2	
11		A0026	23.74.04.58	LAMPHUIS	1	2	
12		A0026	19.74.04.04	KAP	1	2	
13	5305-12-142-5692	D8286	F3, 5X16DIN7981-A3P	SCHROEF, ZELFSCHROEF	1	2	
14	5310-17-906-2291	A0026	19.74.03.05	MDER, VIERKANT	1	2	
15		A0026	14.74.04.59	SUPPORT LAMP KPL	1	2	
16	5305-17-906-2290	A0026	19.74.03.03	SCHROEF, MACHINE	1	2	
17	6220-17-906-2282	A0026	23.74.04.56	GHIERA ANTERIORE PR	1	2	
18	5305-17-906-2289	A0026	19.74.03.02	STELSCHROEF	1	2	
19	6220-17-906-2288	A0026	19.74.03.06	PERNO REGOLAZIONE G	2	2	

PROJECT-NUMMER 0472
MOS-NUMMER 0609-0001

KOPLICHT EN RICHTINGAANW(VOOR)

DATUM 850813
BLADNR 2

FIG NR	NSN	FCN	FABRIEKSARTIKELNUMMER	ARTIKELOMSCHRIJVING	AANT GEMONT	ECH	OPMERKINGEN
20	5365-12-156-4668	A0026 D8286	19.74.03.07 4DIN6799	RING, BORG-, VEREND	2	2	
21	5360-17-906-2287	A0026	19.74.04.57	VEER, DRUK-, SCHROEFL	1	2	
22	6210-17-906-2283	A0026 A4469	23.75.06.00 52.973.2.5	LICHTARMATUUR, AANWY	2	2	
24	6210-17-906-2284	A0026 A4469	39.75.37.70	LENS, INDICATOR	2	2	
25	5340-15-064-7712	A0026	23.75.13.00	BAR, DIRECTION SIGNA	1	2	
26	5310-12-146-0644	A0026 D8286	92.60.24.11 BM10DIN439-06-A2P	MDER, ZESKANT M10	4	2	
28	6240-12-159-7268	A0026 D2299	93.45.01.29 DIN72601-P25-1-12V21W	LAMP, GLOEI- 0	2	2	
29	5305-12-142-5856	A0026 D8286	98.62.05.55 M10X55DIN912-8.8-A3P	SCHROEF, INWENDIGE A	2	2	
30	5310-12-142-0481	A0026 D8286	95.00.42.10 B10, 5DIN125-ST-A3P	ONDERLEGRING, VLAK	2	2	

PROJECT-NUMMER 0472
MOS-NUMMER 0609-0002

STOP/ACHTERL. EN RICHT(ACHTER)

DATUM 850813
BLADNR 1

FIG NR	NSN	FCN	FABRIEKSARTIKELNUMMER	ARTIKELOMSCHRIJVING	AANT GEMONT	ECH	OPMERKINGEN
1	6210-17-906-2283	A0026	23.75.06.00	LICHTARMATUUR, AANWY	2	2	
2	6210-17-906-2284	A0026 A4469	39.75.37.70	LENS, INDICATOR	2	2	
4	6240-12-159-7268	A0026 D2299	93.45.01.29 DIN72601-P25-1-12V21W	LAMP, GLOEI-	4	2	
5	6220-17-906-2746	A0026 A2391	19.74.09.00 PAGANI 9406	STOP-EN-ACHTERLICHT	1	2	
6	6220-17-906-2743	A0026 A2391	19.74.10.00 19337	CAP	1	2	
7	5310-12-156-4991	A0026 D8286	92.60.22.06 M6DIN934-8-A2P	MOER, ZESKANT	4	2	
8	5310-12-142-0644	A0026 D8286	95.00.02.06 B6,4DIN125-ST-A3P	ONDERLEGRING, VLAK	2	2	
9	6220-17-906-2742	A0026 A2391	65.74.09.00 PAGANI 9399	ACHTERLICHTARMATUUR	1	2	
10	5305-17-907-7793	A0026 D8286	35.75.18.70 M6X14DIN933-8.8-A2P	SCHROEF, ZESKANTE KOP	2	2	
11	6220-17-906-2749	A0026 A2391	65.74.17.00 PAGANI 04802	LENS, LICHTARMATUUR	1	2	
12	5340-17-906-2750	A0026	19.74.12.00	PLATE	1	2	
13	5310-12-124-0893	A0026 D8286	95.02.11.10 A10,5DIN6798	ONDERLEGRING, BORG-	2	2	
14	5305-12-185-3045	A0026 D8286	98.82.05.35 M10X35DIN6912-8.8-A2P	SCHROEF, INWENDIGE A	2	2	
15	5310-12-142-0481	A0026 D8286	95.00.02.10 A10,5DIN125-ST-A3P	ONDERLEGRING, VLAK	2	2	
16	5305-12-165-0656	A0026 D8286	98.82.24.20 M8X20DIN6912-8.8-A2P	SCHROEF, INWENDIGE A	2	2	

PROJECT-NUMMER 0472
MOS-NUMMER 0609-0002

STOP/ACHTERL. EN RICHT(ACHTER)

DATUM 850813
BLADNR 2

FIG NR	NSN	FCN	FABRIEKSARTIKELNUMMER	ARTIKELOMSCHRIJVING	AANT GEMONT	ECH	OPMERKINGEN
17	5310-12-142-0645	A0026 D8286	95.00.02.08 B8,4DIN125-ST-A3P	ONDERLEGRING,VLAK	2	2	
18	5340-15-064-7740	A0026	23.75.36.00	BRACKET LINKS	1	2	
19	5365-17-906-1967	A0026	91.18.10.16	DUIMSTOK,SMID	2	2	
20	5340-15-064-7739	A0026	23.75.35.00	BRACKET RECHTS	1	2	
21	5310-12-146-0644	A0026 D8286	92.60.24.11 BM10DIN439-06A2P	MOER,ZESKANT	2	2	
22	5310-12-146-0644	A0026 D8286	92.60.24.10 BM10DIN439-06-A2P	MOER,ZESKANT	2	2	
23	5310-12-170-2726	A0026 D8286	92.63.05.08 NM8DIN980-8-A2P	MOER,ZELFBORGEND,ZE M8X1,25	2	2	
24	5310-12-146-3860	A0026 D8286	95.10.01.28 B6,4DIN9021-ST-A3P	ONDERLEGRING,VLAK	8	2	
26	5325-17-906-2745	A0026	91.55.11.02	TULE,RUBBER	1	2	
29	5365-17-906-2744	A0026	91.18.06.07	AFSTANDSTUK,BUS	1	2	
30	5325-17-004-7242	A0026	91.55.10.85	TULE,RUBBER	2	2	
31	5305-12-156-4862	A0026 D8286	98.05.43.20 M6X20DIN933-8.8-A2P	SCHROEF,ZESKANTE KO	2	2	
32	6240-17-047-5069	H0002	12499	LAMP,GLOEI- 12V 5/21 W	2	2	

PROJECT-NUMMER 0472
MOS-NUMMER 0609-0003

VERD.VERL. EN MISTACHTERLICHT

DATUM 850813
BLADNR 1

FIG NR	NSN	FCN	FABRIEKSARTIKELNUMMER	ARTIKELOMSCHRIJVING	AANT GEMONT	ECH	OPMERKINGEN
1	6220-12-197-0647	HA231 D8095	00.00.60.04 2NE 002 985 00	LICHTARMATUUR,MIST	1	2	
2	6240-12-159-7268	D8286	DIN72601-P25-1-12V21W	LAMP,GLOEI-	1	2	
4	5310-12-125-0066	A0026 D8286	61.27.03.00 B8DIN137	ONDERLEGRING,VEER-	1	2	
5	6220-12-176-4797	H0001 D8095	179796 1XA001512-00	KOPLICHTARMATUUR,VO	1	2	
6	6240-12-120-7996	D8286	DIN72601-H-12V2W	LAMP,GLOEI-	3	2	
7	5305-12-156-4865	D8286	M8X25DIN933-8.8-A2P	SCHROEF,ZESKANTE KO	1	2	
10	5310-12-124-0892	H0001 D8286	251939 A8,4DIN6798	ONDERLEGRING,BORG-	1	2	
11	5310-12-144-6214	D8286	M8DIN934-8-A2P	MOER,ZESKANT	2	2	
12	6220-12-151-4414	D8095	001 324 02 20A	STOPLICHTARMATUUR,V	2	2	
13	5310-17-002-0309	D8286	B6DIN127	ONDERLEGRING,BORG-	2	2	
14	5310-12-156-4991	D8286	M6DIN934-8-A2P	MOER,ZESKANT	3	2	

PROJECT-NUMMER 0472
 MOS-NUMMER 0609-0004

FLITSLICHT(MARE.-UITVOERING)

DATUM 85C813
 BLADNR 1

FIG NR	NSN	FCN	FABRIEKSARTIKELNUMMER	ARTIKELOMSCHRIJVING	AANT GEMONT	ECH	OPMERKINGEN
1	6210-17-055-8193	H9282 H5888	00.00.60.11 04.038.001	AFSCHERMKAP	1	2	
2	6210-17-055-8192	H9282 H5888	00.00.60.10 01.027.055	LENS, LICHT	1	2	
4	5340-17-055-8196	H9282 H5888	00.00.60.14 03.038.003	KLEM, LUS	1	2	
5	6240-17-055-8195	H9282 H5888	00.00.60.15 03.038.004	LAMP, ELEKTRONENFLITSER	1	2	
10	5310-12-163-8840	A0026 D8286	92.63.01.06 M6DIN982-8-A2P	MOER, ZELFBORGEND, ZE KANT	2	2	
13	5340-17-907-4862	A0026	23.78.56.01	KLEMHOUDER T	2	2	
15	5325-17-907-4864	A0026	23.78.57.00	RUBBER, MANCHET	2	2	
16	6220-17-055-8194	H9282 H5888	00.00.60.12 03.038.002	STROBOSCOOPPAAL, CPL,	1	2	
17	5305-12-156-4862	A0026 D8286	98.05.43.20 M6X20DIN933-88-A2P	SCHROEF, ZESKANTE KO	2	2	
18	5310-12-124-0892	A0026 D8286	95.02.11.08 A8,4DIN6798	ONDERLEGRING, BORG-	2	2	
21	5310-12-142-0645	A0026 D8286	95.00.42.08 B8,4DIN125-ST-A3P	ONDERLEGRING, VLAK	2	2	
22	5305-12-156-4962	A0026 D8286	98.05.44.18 M8X18DIN933-8.8-A2P	SCHROEF, ZESKANTE KO	2	2	
25	6130-17-055-8197	H9282 H5888	00.00.60.13 01.017.009	VOEDINGSTOESTEL	1	2	
26	5340-17-907-4863	A0026	23.78.61.00	PLAAT	1	2	
27	5310-12-144-6214	A0026 D8286	92.60.22.08 M8DIN934-8-A2P	MOER, ZESKANT	2	2	

PROJECT-NUMMER 0472
MOS-NUMMER 0609-0004

FLITSLICHT(MARE.-UITVOERING)

DATUM 850813
BLADNR 2

FIG NR	NSN	FCN	FABRIEKSARTIKELNUMMER	ARTIKELOMSCHRIJVING	AANT GEMONT	ECH	OPMERKINGEN
28	6210-17-055-8190	H9282 H5888	00.00.60.08 01.027.057	GLAS,SIGNAALLICHT	1	2	
29	6210-17-055-8191	H9282 H5888	00.00.60.09 01.027.058	GLAS,SIGNAALLICHT	1	2	
30		HA231	00.00.60.07	TAS FILTERGLAZEN	1	2	

PROJECT-NUMMER 0472
MOS-NUMMER 0610-0001

ZENDERS

DATUM 850813
BLADNR 1

FIG NR	NSN	FCN	FABRIEKSARTIKELNUMMER	ARTIKELOMSCHRIJVING	AANT GEMONT	ECH	OPMERKINGEN
1	6620-15-063-7339	A0026 A0188	19.76.87.20 40.36.01.101	DOORZENDER, DRUK	1	2	
2	5930-15-063-7301	A0026 A0188	19.20.72.20 40.33.01.100	SCHAKELAAR, DRUKGEVOE	1	2	
3	5310-12-132-4160	A0026 D8286	12.15.42.00 8,4DIN433ALLEG	ONDERLEGRING, VLAK	1	2	
5	5930-17-906-1964	A0026 A4435	14.65.70.50 06.26.10.20	SCHAKELAAR, DRUKGEVO	1	2	
6	5930-17-906-1965	A0026 A4435	25.65.70.01 06.2610.20	SCHAKELAAR, DRUKGEVO	1	2	

PROJECT-NUMMER 0472
MOS-NUMMER 0611-0001

CLAXON

DATUM 850813
BLADNR 1

FIG NR	NSN	FCN	FABRIEKSARTIKELNUMMER	ARTIKELOMSCHRIJVING	AANT GEMONT	ECH	OPMERKINGEN
1	5305-12-142-5979	A0026 D8286	98.82.04.30 M8X40DIN912-10.9-A2P	SCHROEF, INWENDIGE A	1	2	
2	5310-12-142-0645	A0026 D8286	95.00.02.08 B8,4DIN125-ST-A3P	ONDERLEGRING, VLAK	1	2	
3	2590-17-906-1968	A0026 D8015	61.74.37.00 0 320 043 007	SIGNAALHOORN, ELEKTR	1	2	
4	5365-17-906-1967	A0026	91.18.10.16	DUIMSTOK, SMID	1	2	
5	5310-17-026-3972	A0026 D8286	95.02.11.08 B8DIN127GEZWART	ONDERLEGRING, BORG-	1	2	
6	5310-12-144-6214	A0026 D8286	92.60.22.08 M8DIN934-8-A2P	MOER, ZESKANT	1	2	

PROJECT-NUMMER 0472
MOS-NUMMER 0611-0002

2-TONIGE HOORN(MARE.UITV.)

DATUM 850813
BLADNR 1

FIG NR	NSN	FCN	FABRIEKSARTIKELNUMMER	ARTIKELOMSCHRIJVING	AANT GEMONT	ECH	OPMERKINGEN
1	5930-12-196-7844	A0026	23.75.63.00	SCHAKELAAR, TREK-	1	2	
2	5305-12-166-7021	A0026 D8286	98.20.03.12 M3X12DIN84-8-8B2A	SCHROEF, MACHINE	2	2	
3	5305-12-195-9369	A0026 D8286	98.20.03.06 DIN84M3X6-8-8A3P	SCHROEF, MACHINE	2	2	
4	5340-15-064-7738	A0026	18.50.40.80	BEUGEL, INSTALLATIE	1	2	
5	5310-12-146-0644	A0026 D8286	92.60.24.11 BM10DIN439-06-A2P	MOER, ZESKANT	2	2	
6	5305-12-146-2633	A0026 D8286	98.05.43.16 M6X16DIN933-8.8-A2P	SCHROEF, ZESKANTE KO	2	2	
7	5310-12-142-0644	A0026 D8286	95.00.02.06 6,4DIN125-ST-A3P	ONDERLEGRING, VLAK	2	2	
8	5310-12-156-4991	A0026 D8286	92.60.22.06 M6DIN934-8-A2P	MOER, ZESKANT	2	2	
9	6350-12-196-0072	A0026 D8015	23.73.75.00 0 335 411 015	REGELEENHEID, ALARMT	1	2	
10	5930-12-196-7844	A0026 D8015	23.74.60.00 0.341 201.006	SCHAKELAAR, TREK-	1	2	
11	6240-12-171-6626	A0026 D8286	93.45.01.40 DIN72601-W5/1,2-12V1,2W	LAMP, GLDEI- 12V-1,2W	1	2	
12	5340-17-906-2737	A0026	23.78.58.00	STRIP	1	2	
13	2590-12-172-7439	A0026 D8015	23.74.37.01 0 320 223 002	SIGNAALHOORN, ELEKTR 12V-375HZ	1	2	
14	5310-17-003-7979	A0026 D8286	95.02.11.10 B10DIN127GEZWART	ONDERLEGRING, BORG-	2	2	
15	5305-12-158-0033	A0026 D8286	98.07.45.16 M10X16DIN933-8.8-A3P	SCHROEF, ZESKANTE KO	2	2	